

ADGRG6 / GPR126 Antibody (N-Terminus)
Rabbit Polyclonal Antibody
Catalog # ALS10784**Specification**

ADGRG6 / GPR126 Antibody (N-Terminus) - Product Information

Application	IHC
Primary Accession	Q86SQ4
Reactivity	Human, Mouse, Rabbit, Hamster, Monkey, Chicken, Horse, Bovine, Dog
Host	Rabbit
Clonality	Polyclonal
Calculated MW	137kDa KDa

ADGRG6 / GPR126 Antibody (N-Terminus) - Additional Information**Gene ID** 57211**Other Names**

G-protein coupled receptor 126, Developmentally regulated G-protein-coupled receptor, Vascular inducible G protein-coupled receptor, GPR126, DREG, VIGR

Target/Specificity

Human GPR126. BLAST analysis of the peptide immunogen showed no homology with other human proteins, except GPR64 (72%).

Reconstitution & Storage

Long term: -70°C; Short term: +4°C

Precautions

ADGRG6 / GPR126 Antibody (N-Terminus) is for research use only and not for use in diagnostic or therapeutic procedures.

ADGRG6 / GPR126 Antibody (N-Terminus) - Protein Information**Name** ADGRG6 ([HGNC:13841](#))**Synonyms** DREG, GPR126, VIGR**Function**

G-protein coupled receptor which is activated by type IV collagen, a major constituent of the basement membrane (By similarity). Couples to G(i)-proteins as well as G(s)-proteins (PubMed:24227709). Essential for normal differentiation of promyelinating Schwann cells and for normal myelination of axons (PubMed:24227709). Regulates neural, cardiac and ear development via G-protein- and/or N-terminus- dependent signaling (By similarity). May act as a receptor for PRNP which may promote myelin homeostasis (By similarity).

Cellular Location

Cell membrane; Multi-pass membrane protein. Note=Detected on the cell surface of activated but not resting umbilical vein


Tissue Location

Expressed in placenta and to a lower extent in pancreas and liver. Detected in aortic endothelial cells but not in skin microvascular endothelial cells.


ADGRG6 / GPR126 Antibody (N-Terminus) - Protocols

Provided below are standard protocols that you may find useful for product applications.

- [Western Blot](#)
- [Blocking Peptides](#)
- [Dot Blot](#)
- [Immunohistochemistry](#)
- [Immunofluorescence](#)
- [Immunoprecipitation](#)
- [Flow Cytometry](#)
- [Cell Culture](#)

ADGRG6 / GPR126 Antibody (N-Terminus) - Images

Anti-GPR126 antibody ALS10784 IHC of human skin.



Anti-GPR126 antibody ALS10784 IHC of human prostate.

ADGRG6 / GPR126 Antibody (N-Terminus) - Background

Orphan receptor. May be required for normal differentiation of promyelinating Schwann cells and for normal myelination of axons. Signals probably through G-proteins to transiently elevate cAMP levels (By similarity).

ADGRG6 / GPR126 Antibody (N-Terminus) - References

Stehlik C.,et al.FEBS Lett. 569:149-155(2004).
Moriguchi T.,et al.Genes Cells 9:549-560(2004).
Bechtel S.,et al.BMC Genomics 8:399-399(2007).
Mungall A.J.,et al.Nature 425:805-811(2003).
Ota T.,et al.Nat. Genet. 36:40-45(2004).